
# **CROP PEST OUTBREAK REPORT**

### **APRIL 2021**



# AICRP ON BIOLOGICAL CONTROL OF CROP PESTS

ICAR- NATIONAL BUREAU OF AGRICULTUTRAL INSECT RESOURCES, BENGALURU

Compiled by: Drs. Sampath Kumar, M., Amala, U., Sivakumar, G. & Bakthavatsalam, N.

# CROP PEST REPORT| ICAR- NBAIR- AICRP

# **CROP PEST OUTBREAK REPORT**

#### APRIL 2021

#### **GUJARAT**

Reporting Centre: AAU, Anand

Crop	Cowpea	Bajra	Cabbage	Cowpea	Pigeon	Cabbage	Groundnut	Bajra
Site details		Zankhariya		Navli	pea Navli	Navli	AAU, Anand	AAU, Anand
Variety	-	-	-	Divya-85	-	Green Socket	TAG-24	-
Age of crop (DAT/DAS)	50-60	50-60	80-90	20-25	90-100	80-90	60	55-60
Area cultivated (ha)	0.2	0.4	0.1	0.2	0.1	0.2	0.4	0.2
Insect pests & % infestation	H. armigera (5-10%)	-	Painted bug (70-80%)		-	Painted bug (70-80%)	Aphid, H. armigera (10-12%)	-
Disease & % incidence	Mosaic (4-5%)			Mosaic (1-2%)	-		-	-
Natural enemies recorded	Spider	Cocinellids			-	-	-	-

#### **KERALA**

Reporting Centre: RARS, Kumarakom

**Crop: Coconut** 

Site details: Poovathikkari padasekharam in Kottayam District

Variety: -

**Crop stage:** 5 years old in 0.5 ac.

**Pest Status:** 

Insects: Moderate damage caused by black headed caterpillar was

recorded



Black headed caterpillar damage in coconut leaves

**Crop: Nutmeg** 

Site details: Vazhoor village in Kottayam District

Variety: Local

**Crop stage:** 2 years old in 20 cents

**Pest Status:** 

Insects: Moderate scale insect infestation was witnessed



Scale insect infestation in nutmeg leaves

## **TELANGANA**

**Reporting Centre:** PJTSAU, Hyderabad

Site details: Rajendra Nagar

Сгор	Pest	Severity (Low/moderate/severe incidence)
Rice	Yellow stem borer	Moderate
Bhendi and Brinjal	Mites	Low
Tomato	Serpentine leaf miner	Low
	Pinworm	Low

#### **WEST BENGAL**

Reporting Centre: UBKV, Pundibari

**Crop: Coconut** 

Site details: Falakata village (26°31'48" N 89°12' E) in Alipurduar District;

Damdim village (26°52'11" N 88°40'17" E) in Jalpaiguri District

Variety: -

Crop stage: -

**Pest Status:** 

**Insects:** Moderate RSW incidence was recorded



Infestation of RSW on coconut