
# CROP PEST OUTBREAK REPORT

### DECEMBER 2020





# AICRP ON BIOLOGICAL CONTROL OF CROP PESTS

ICAR- NATIONAL BUREAU OF AGRICULTUTRAL INSECT RESOURCES, BENGALURU

Compiled by: Drs. Sampath Kumar, M., Amala, U., Sivakumar, G. & Bakthavatsalam, N.

# **CROP PEST OUTBREAK REPORT**

# December 2020

#### **ANDHRA PRADESH**

Reporting Centre: ANGRAU, RARS, Anakapalle

**Crop: Maize** 

Site details: Kumili, Pidisila villages in Vizianagaram District; Pathivada

Palem village in Srikakulam District

Variety: Advanta, Pioneer in 43ha.

Crop stage: 7-40 days old

**Pest Status:** 

**Insects:** Low incidence of fall armyworm (2-5%) was observed. Occurrence of fall armyworm was also noticed on fodder napier grass

grown near to the vicinity of the maize crop.

Natural enemies recorded: Coccinellids, Spiders

#### **GUJARAT**

Reporting Centre: AAU, Anand

Crop	Cabbage	Tomato	Maize	Cabbage	Castor	Maize	Maize	Maize	Maize	Maize
	AAU,	AAU,	AAU,	Navli	AAU,	Navli	Karamsad	Sandesar	Jahang	Sihol
Site details	Anand	Anand	Anand		Anand				ir	
									pura	
8- A	Super	Anand	Madhuri -	Super	GCH-7	Desi -	Desi -	Desi -	Desi -	Desi -
Variety	Express	Tomato-	Sweetcorn	Express		Fodder	Fodder	Fodder	Fodde	Fodder
M Z	_	3							r	
_'Age of crop	45	60	45	55	50	35	55	45	35	50
(DAT/DAS)										
_Area cultivated	0.25	0.25	0.5	1.0	0.75	0.5	0.25	0.25	0.25	0.3
(ha)										
EP(	Н.	Н.	FAW	Н.	Castor	FAW	FAW	FAW	FAW	FAW
₫nsect pests &	armigera	armigera	(10-15%)	armigera	horn	(10-12 %)	(20-25 %)	(15-18 %)	(5-10	(15-18
√% infestation	(8-10%)	(4-5%)		(12-15%)	caterpillar				%)	%)
P					(5-8 %)					
Diagona & 0/		Leaf								
Disease & %		curl (12-								
m cidence		15%)								

5							
Natural enemies	Coc	-	Coc	 Coc, spider	 Coc, spider	 	Coc, spider

FAW- fall armyworm; Coc- Cocinellids

#### **KERALA**

Reporting Centre: RARS, Kumarakom

**Crop: Pineapple** 

Site details: Vazhakulam village in Ernakulam District

Variety: Mauritius in 10 ac.

**Crop stage:** 8 months

**Pest Status:** 

Disease: ?Phyllody disease incidence (10-20 %) was recorded



Phyllody disease

#### **PUNJAB**

Reporting Centre: PAU, Ludhiana

**Crop: Wheat** 

Site details: Jalandhar, Ludhiana, Ferozepur, Kapurthala, Patiala, Sangrur

districts

**Pest Status:** 

Insects: nil

**Crop: Mustard** 

**Site details**: Amritsar, Jalandhar, Ludhiana, Patiala, Sangrur districts

**Pest Status:** 

Insects: nil

**Crop: Chickpea** 

Site details: Jalandhar, Ferozepur, Ludhiana, Patiala, Sangrur districts

**Pest Status:** 

Insects: nil

#### TAMIL NADU

**Reporting Centre: TNAU, Coimbatore** 

**Crop: Coconut** 

Site details: Several villages in the following Districts (Tirupur, Ariyalur,

Dindugal, Theni, Virudhunagar, Tenkasi, Kanyakumari & Coimbatore)

**Variety:** Dwarf/COD/Tall/ Cylone in >200ha.

Crop stage: 2-13 years old

**Pest Status:** 

**Insects:** Low-moderate incidence of RSW was observed. Severe incidence of RSW was also recorded at Muthuvinayakapuram (8.9343 N; 77.3262E) village in Tenkasi Dt., Asaipalayam, NGO colony, Visuasapuram Erumbukadu (8.1528 N; 77.4028E) villages in Kanyakumari Dt., Kanal Pudur village (10.7908n; 76.8942e) in Coimbatore Dt.

**Disease**: Leaf blight disease incidence was witnessed in Dindugal Dt.

Natural enemies recorded: Encarsia sp., Mallada sp., spiders

#### **Crop: Maize**

Site details: Jivalsaragu (10.3077N; 77.8629E) village in Dindugal Dt.,

Boluvampaati (10.9808N; 76.7685E) village in Coimbatore Dt.

Variety: CP 808in 2 ha. Crop stage: 75 days old

Pest Status:

Insects: Low to moderate incidence of fall armyworm was observed

#### **Crop: Tomato**

Site details: Jamin Kaliyapuram, Pullagoundan Pudur (10.9943N;

76.8013E) villages in Coimbatore District

Variety: -

Crop stage: 60 days old in 2.5 ac

**Pest Status:** 

Insects: Low infestation of tomato pinworm was observed

Natural enemies recorded: Coccinellids, spiders

### **Crop: Guava**

Site details: Vandikaranur (11.0096N; 76.8252E) village in Coimbatore

District

Variety: -

Crop stage: Six months old in 4.0 ac

**Pest Status:** 

Insects: Moderate infestation of mealybug (Ferrisia DEvirgata) was

observed

Natural enemies recorded: Mallada sp., Cryptoleamus sp.

# **TELANGANA**

Reporting Centre: PJTSAU, Hyderabad

Site details: Rajendra Nagar

Crop	Pest	Severity (Low/moderate/severe incidence)				
Cotton	Pink Bollworm	Severe				
Chilli	Thrips	Severe				
	Helicoverpa	Low to moderate				
	Blossom midge	severe				
Gourds	Leafhoppers	Moderate				
	Aphids	Moderate				
	Fruit flies	severe				
Maize	Stem borer	Low				
	FAW	Severe				
Cabbage, Cauliflower and Broccoli	Aphids	Moderate				
	DBM	Severe				
Beans	Aphids	Moderate				
Oilpalm, sapota, banana, coconut fruit trees	Rugose spiraling whitefly	Low				
Chickpea	H. armigera	Moderate				

# **WEST BENGAL**

Reporting Centre: UBKV, Pundibari

**Pest Status:** 

Insects: nil